Supplementary information for:

Elevated groundwater arsenic in deeper aquifers of the Brahmaputra floodplains in Assam, India

Smitakshi Medhi[1*], and Runti Choudhury[1]

[1]*Department of Geological Sciences, Gauhati University, Guwahati – 781014, Assam, India*

Corresponding author: medhismitakshi@gmail.com

How to cite

Medhi, S., Choudhury, R., 2025. Elevated groundwater arsenic in deeper aquifers of the Brahmaputra floodplains in Assam, India. Journal of Environmental Science, Health & Sustainability, 1(2), 131–143. https://doi.org/10.63697/jeshs.2025.10038



Fig. S1. Bivariate plot of Na^+ vs Cl^- in: (a) Deeper wells, and (b) Shallow wells.



Fig. S2. Bivariate plot of Na^+ vs Ca^{2+} in: (a) Deeper wells, and (b) Shallow wells.



Fig. S3. Correlation plots of: (a) As vs Fe, (b) As vs Mn, (c) As vs SO_4^{2-}, (d) As vs NO_3^-, (e) As vs HCO_3^-, and (f) As vs pH in deeper aquifers.



Fig. S4. Correlation plots of: (a) As vs Fe, (b) As vs Mn, (c) As vs SO_4^{2-}, (d) As vs NO_3^-, (e) As vs HCO_3^-, and (f) As vs pH in shallow aquifers.